**NOTES:**

1. CONTOURS SHOWN CORRESPOND TO INCREMENTAL CANCER RISK OF 10^{-4} .
2. NO AREAS EXCEED 10^{-4} RISK FOR URANIUM-238, POLONIUM-210, AND LEAD-210.

LEGEND:


- 270-3A • SOIL SAMPLING LOCATION AND DESIGNATION
— RADON-226

SCALE
1600 0 1600 FEET

EASTERN MICHAUD FLATS
POCATELLO, IDAHO

FEASIBILITY STUDY

OFFSITE SUBAREA
AREAS WHERE RADIONUCLIDE
ACTIVITIES IN SURFACE SOILS
EXCEED THE 10^{-4} INCREMENTAL
CANCER RISK LEVEL



LEGEND:

- 113-2A • SAMPLING LOCATIONS
- (3.0) CADMIUM CONCENTRATION (mg/kg)
- CT CASE (71 mg/kg)
- RME CASE (16.9 mg/kg)

SCALE
400 0 400 FEET

**EASTERN MICHAUD FLATS
POCATELLO, IDAHO**
FEASIBILITY STUDY
**OFFSITE SUBAREA
AREAS WHERE CADMIUM
CONCENTRATIONS IN SURFACE SOIL
EXCEED LEVELS EQUIVALENT TO
A HAZARD QUOTIENT OF ONE**

FIGURE 28

